

Floodplain Management and Sea level Rise In Baltimore City








Peter G. Conrad, AICP



Overview


- Flooding History
- Floodplain Management and the NFIP
- Baltimore's Map Update Process
- Climate Change
- Sea level Rise







Agnes – Rainfall from a Tropical Storm








Agnes – Rainfall from a Tropical Storm






The bridge on the Patapsco Avenue extension, which connects Caton Avenue and Potee Street, became a raging river after more than seven inches of rain fell during Tropical Storm Agnes.

File photo by Frank R. Gardina






Isabel – Tidal Surge from a tropical storm







Isabel – Tidal Surge from a tropical storm







Isabel – Tidal Surge from a tropical storm







Federal National Flood Insurance Program




NATIONAL FLOOD INSURANCE PROGRAM






Baltimore joined NFIP in 1974







Current
FEMA map
for Baltimore
City








FEMA Map Modernization








New Study Areas







Tidal Flood Zone







Intergovernmental Panel on Climate Change




INTERGOVERNMENTAL PANEL ON CLIMATE CHANGE








Intergovernmental Panel on Climate Change







Sea Level Rise Science







Mayor

Climate Change and Sea Level Rise

Sea Level Rise Science

Table SPM-2. Projected globally averaged surface warming and sea level rise at the end of the 21st century for different model cases. The sea level projections do not include uncertainties in carbon-cycle feedbacks, because a basis in published literature is lacking. {10.5, 10.6, Table 10.7}


Case	Temperature Change (°C at 2090- 2099 relative to 1980-1999) a		Sea Level Rise (m at 2090-2099 relative to 1980- 1999)
	Best estimate	Likely range	Model-based range excluding future rapid dynamical changes in ice flow
Constant Year 2000 concentrations ^c	0.6	0.3 – 0.9	NA
B1 scenario	1.8	1.1 – 2.9	0.18 - 0.38
A1T scenario	2.4	1.4 - 3.8	0.20 - 0.45
B2 scenario	2.4	1.4 - 3.8	0.20 - 0.43
A1B scenario	2.8	1.7 - 4.4	0.21 - 0.48
A2 scenario	3.4	2.0 - 5.4	0.23 - 0.51
A1FI scenario	4.0	2.4 - 6.4	0.26 - 0.59

Extract from: IPCC. Climate Change 2007. See the original for further notes, details and explanation. The average estimate is somewhere near 30 to 35 cm rise in 100 years. Add to this at least 10 cm for local downwarping (isostatic rebound) in the Wessex coast area. From this, perhaps about half a metre of sea level rise more might be expected for this local region. Separate evidence suggest a sea-rise at present of about 5mm per annum in the region. This also points towards half a metre for the Wessex coast in 100 years. Of course higher figures are possible. Ian West, 2007.





Sea Level Rise Science







Interim Report to the Governor and the Maryland General Assembly

CLIMATE ACTION PLAN



